

# DALVIK

Your city will love them ...

# Your city will love ...



DALVIK S





DALVIK R

# ... their versatility

streets, paths, and public area lighting

... their design

nesthetic and individuality from page 6 onwards

... their flexibility

adapters for the various poles

Page 8

from page 4 onwards

# ... their functionality and technology

fitting options, dimming systems, technical data from page 9 onwards

# VERSATILITY





DALVIK. Aesthetic and individuality.

DALVIK

**DESIGN** 

The sophisticated design of the DALVIK is reflected in the very compact construction of this pole-mounted luminaire.

The DALVIK consists of a very flat, rectangular, cast-aluminium luminaire head – and it is available in 2 variants – as DALVIK S and as DALVIK R.

### DALVIK S

The design of DALVIK S is characterised by two shadow gaps running continuously around the housing.



# DALVIK R

The DALVIK R is even more exclusive.
Its continuous design bracket made of brushed stainless steel is truly eye-catching.

Whatever choice you make – both DALVIK variants are guaranteed to give your city, your path, or your area a most attractive appearance.

DALVIK - Your city will love them ...





DALVIK S and DALVIK R

An impressive appearance – whether day or night.

For its outstanding design, the DALVIK luminaire was voted the "Iconic Awards 2014 – WINNER" in the "Product / Building Technology" category as part of the international ICONIC AWARDS design competition.

The expert jury of this year's Baden-Württemberg international design prize, awarded the "Focus Silver 2014". This prize is be seen as an acknowledgement of the high quality of the product development according to international standards.

Both prizes acknowledge the independent expression of design typical for Hess and the high-quality finish of our luminaires.

### DALVIK

# **FLEXIBILITY**

# THIRD-PARTY POLES S/R Spigot Ø 76,1/60,3 mm HESS POLES S/R Spigot Ø 82,5 mm Spigot Ø 88,9 mm

## **CITY ELEMENTS**

DALVIK S adaptor 230/180/200

Spigot double ø 88,9 mm



Wall adaptor



### DALVIK. Flexibility in perfection.

Whether third-party or Hess poles. Whether with a small or large diameter. Or even several fittings in combination with Hess' City Elements.

We offer the most varied pole connections and thus ensure a particularly broad application range.

DALVIK is optimally suited for third-party poles with various adapters. This makes DALVIK the ideal choice for retro-fitting existing lighting installations.

The DALVIK can also be mounted to Hess poles with diameters ranging from 60 – 230 mm.

# DALVIK

# FUNCTIONALITY AND TECHNOLOGY

### DALVIK.

Dimensions in mm:

Functionality and technology – just as you require it.

Transform any DALVIK into your DALVIK.

Technical fittings are made entirely according to your wishes and requirements.

With one simple objective in mind:

To always deliver the best light.


DALVIK - Your city will love them ...


### Technical product details

Daily updated data sheets for all products are available on the Hess website (www.hess.eu). They include all relevant performance information for LED-equipment.



www.hess.eu/en/dalvik





# DALVIK AND CITY ELEMENTS 200 -As a result of the connection of the DALVIK S to the CITY ELEMENTS, its lighting technology becomes more flexible and versatile and thus THE PERFECT COMBINATION offers architects, planners and lighting designers an even broader spectrum of applications – and simultaneously, a highly attractive The CITY ELEMENTS stand for the most diverse multifunctionality – appearance. and that at its best. Due to the impressive combination of the illuminating column with the DALVIK S luminaire, the CITY ELEMENTS Reflecting the DALVIK slogan – "Your city will love them" – CITY ELEMENTS incorporates the best of both worlds in this configuration – namely maximum offer even more possibilities for holistic lighting solutions. multifunctionality and the best lighting. DALVIK and CITY ELEMENTS – for holistic lighting and infrastructure solutions. www.hess.eu/en/dalvik DALVIK S with CITY ELEMENTS 200 In combination with the DALVIK S, the CITY ELEMENTS 200 is designed for heights of up to 9 meters. The 200 model can be fitted with up to 3 DALVIK S luminaire heads.

# DIMMING SYSTEMS

For needs-based control of the light, the DAVLIK luminaire can be connected to various control systems by Hess. DIMPro for example, allows for an individually adaptable control of the light intensity. You will continue to benefit from this additional efficiency increase for a long time.

The simple and efficient maintenance concept allows for quick and easy replacement of the LED modules.

# DALI

The controller fitted as standard with a DALI interface can easily be integrated into a DALI controlled lighting system.


# StepDIM


The luminaires' factory default programming is intended for single-stage night-time dimming (30, 50, or 70 %). The control is integrated in the ballast and operates via an additional 230 V control lead.


# AstroDIM

The customer can specify up to two night-time dimming stages (for example 80 % and 40 %) over a continuous dimming range from 10 to 100 %. The relevant values are preset at the factory.

The driver determines the theoretical midnight time based on switch-on and switch-off and dims to preset times before and after this theoretical midnight. This is a self-contained and stand-alone system which requires no additional equipment.








# DIMPro

With the addition of a movement detector and an antenna in the luminaire housing plus an external master module equipped with GPS an intelligent dimming schedule can be implemented. The master module transmits location, date and time to other luminaires in the system. The system's data can be remotely accessed and new software versions uploaded if required.

The LED luminaires offer one night-time dimming stage (10 – 100 %) along with the capacity to add a second, freely defined level, for example if a car passes in the street.

The luminaires can be pre-programmed or programmed on site.



.. 20 21 22 23 24 1 2 3 4 5 6 .. oʻclock


# ENHANCING URBAN SPACES



Hess GmbH Licht + Form Lantwattenstraße 22 GER - 78050 Villingen-Schwenningen

Tel: +49 (o) 7721 920-0 E-Mail: hess@hess.eu

www.hess.eu



© Hess GmbH Licht + Form 03/2025

All rights reserved.